

5

10

20

25

Claims:

- An electrically heated apparatus for dispensing 1. fragrancing materials and other volatile substances to an enclosed volume comprising a container containing a quantity of a volatile substance, heating means, transfer means for transferring said volatile substance towards said heating means and a portable power supply for energising said heating means, characterised in that said heating means comprises a flexible thin film heater comprising a laminate having at least one laminar of resistive material and two insulating laminars attached to opposed surfaces of the resistive material laminar. 15
 - Electrically heated apparatus as claimed in 2. claim 1 wherein the resistive material has positive temperature coefficient characteristics.
 - Electrically heated apparatus as claimed in 3. claim 1 or claim 2 wherein the resistive material is a polymer thick film material or a polymer thin film material.
 - Electrically heated apparatus as claimed in any 4. preceding claim wherein the resistive material is formed at least partially from resistive ink.
 - Electrically heated apparatus as claimed in any 5. of claims 1 to 3 wherein the resistive material is formed at least partially from resistive wire.

35





5

10

- 6. Electrically heated apparatus as claimed in claim 4 or claim 5 wherein the laminar of resistive material is formed from one or more layers of resistive ink and/or resistive wire each layer having a thickness of between 10 and 1000 microns.
- 7. Electrically heated apparatus as claimed in claim 4 or claim 5 wherein the laminar of resistive material is formed from one or more layers of resistive ink and/or resistive wire each layer having a thickness of between 10 and 100 microns.
- 8. Electrically heated apparatus as claimed in claim 4 or claim 5 wherein the laminar of resistive material is formed from one or more layers of resistive ink and/or resistive wire each layer having a thickness of between 20 and 50 microns.
 - 9: Electrically heated apparatus as claimed in any preceding claim wherein the thin film heater has an overall thickness of between 20 and 1000 microns.
 - 10. Electrically heated apparatus as claimed in any preceding claim wherein the thin film heater has an overall thickness of between 40 and 100 microns.
 - 11. Electrically heated apparatus as claimed in any preceding claim wherein the portable power supply comprises one or more battery cells.



25





15

20

25

30

- 12. Electrically heated apparatus as claimed in claim 11 wherein the battery cell or cells are rechargeable.
- 5 13. Electrically heated apparatus as claimed in any preceding claim wherein said transfer means comprises a capillary tube.
- of claims 1 to 12 wherein said transfer means comprises a wick or capillary film.
 - 15. Electrically heated apparatus as claimed in claim 14 wherein said heating means is attached to or held in proximity to said wick or capillary film.
 - 16. Electrically heated apparatus as claimed in claim 15 wherein said heating means is located at least partially within said wick.
 - 17. Electrically heated apparatus as claimed in claim 16 wherein said wick is cylindrical and said heating means is located in a bore of the cylinder.
 - 18. Electrically heated apparatus as claimed in claim 15 wherein said heating means is wrapped at least partially around an outer surface of said wick.
 - 19. Electrically heated apparatus as claimed in any preceding claim further comprising timing means operable to energise said heating means periodically.





Electrically heated apparatus as claimed in 20. claim 19 wherein the periodicity is preprogrammed.

5

Electrically heated apparatus as claimed in 21. claim 19 wherein the periodicity is user defined.

10

Electrically heated apparatus as claimed in any 22. of claims 19 to 21 wherein each period of energisation is for between 1 second and 5 minutes.

15

Electrically heated apparatus as claimed in any 23. of claims 19 to 21 wherein each period of energisation is for between 1 second and 1 minute.

20

Electrically heated apparatus as claimed in any 24. of claims 19 to 21 wherein each period of energisation is for between 1 second and 10 seconds.

25

Electrically heated apparatus as claimed in any 25. of claims 19 to 21 wherein each period of. energisation is for between 1 second and 5 seconds.

30

Electrically heated apparatus as claimed in any 26. preceding claim further comprising timing means operable to switch said heating means periodically from a low power state to a high power state.

